



MICORUS

MC-PSP-330T





MC-PSP-330T

Description:

The MC-PSP-330T is a professional 5-inch pendant speaker designed for stylish ceiling suspension in environments where architectural aesthetics are a priority. It delivers high-fidelity audio through a 2-way driver system, comprising a 5" woofer and a balanced-dome tweeter, ensuring clear background music and paging. The unit is highly versatile, featuring an easily changeable input impedance for 100V, 70V, or 8-ohm systems. With its durable HIPS resin construction, integrated 5-meter sturdy cable, and bass-reflex design, it provides a reliable and elegant sound solution for high-ceiling commercial spaces.

FEATURES:




- Stylish pendant design inspired by lighting fixtures to blend seamlessly into modern decors.



- Ideally suited for BGM and announcements with excellent sound quality.



- Sturdy 5-meter suspension cable included for easy installation from high ceilings.



- Dual-mode operation supporting both high-impedance (70V/100V) and low-impedance (8Ω) lines.



- High-quality 2-way sound featuring a 5" bass driver and a balanced-dome tweeter.



- Bass-reflex type enclosure made of durable HIPS resin for enhanced low-frequency performance.



TECHNICAL SPECIFICATIONS


GENERAL INFORMATION



The MC-PSP-330T is a high-fidelity pendant- or surface-mount loudspeaker designed for superb foreground and background music in a wide range of commercial indoor applications. Its multi-tap transformer and low impedance input offer exceptional versatility.

MOEL**MODEL:** MC-PSP-330T**TYPE:** Pendant / Surface Mount Loudspeaker**APPLICATION:** Retail, Hospitality, Corporate Offices, Meeting Rooms.

POWER & PERFORMANCE

**Rated Power:**
30W (100V/70V line, 8 Ω)**Sensitivity (1 W, 1 m):**
91 dB (500 Hz – 5 kHz)**Power Tapping:**
5W / 10W / 15W / 20W / 30W
@ 100V/70V, 30W @ 8 Ω **Frequency Response:**
70 Hz – 20 kHz

INSTALLATION & BUILD

**Cabinet Material:**
HIPS Resin**Installation:**
Pendant (integrated suspension system)**Color:**
Off-white (RAL 9010)**Transducers:**
5" bass + balanced-dome tweeter

PHYSICAL DETAILS

**Dimensions:**
Ø 185 x 250 mm (H)**Weight:**
2.1 kg