

HOTEL GUEST ROOM PHONE

MC-APH-R406BE/B

Professional Corded Analogue Hotel Phone



Professional Product Overview

Professional corded analogue landline telephone designed for high-end hotel guest rooms and office buildings. Built with a durable ABS plastic case, integrated CPU control and surface-mounted technology, it provides reliable guest-room communication with practical hotel service access.

DTMF

Standard dialling

0/3/5/10

Service keys

24-60V DC

Operating voltage

36 Months

Warranty

Premium analogue hotel telephone with service keys, PBX compatibility and durable hospitality construction

Description & Key Features


The MC-APH-R406BE/B is a professional corded analogue landline telephone designed for high-end hotel guest rooms and office buildings. Its durable ABS plastic construction and integrated CPU control support stable daily operation in demanding hospitality environments.

The unit supports standard DTMF dialling and operates efficiently within a DC voltage range of 24V to 60V. It is engineered to remain reliable across -10C to +40C operating temperatures and offers full compatibility with major PBX systems including Avaya, NEC and Siemens.

01 Customisable Service Buttons Available with 0, 3, 5 or 10 one-touch memory keys for immediate access to hotel services.	02 Triple-Proof Durability Designed to support waterproof, moistureproof and fireproof protection for long service life.
03 Adjustable Sound Control Multi-step handset volume control helps deliver clear and comfortable audio.	04 Message Waiting Indicator Standard 90-150V DC message-waiting light notifies guests of pending messages.
05 Flexible Flash Timing Optional 100ms, 300ms or 600ms flash settings support different PBX requirements.	06 PBX Ready Operation Suitable for major hotel PBX environments such as Avaya, NEC and Siemens.

Application Note

Recommended for premium hotel guest rooms, serviced apartments, offices and hospitality properties requiring a durable analogue phone with service-key access and PBX-ready operation.





Technical Specifications

GENERAL INFORMATION

Model	MC-APH-R406BE/B
Type	Hotel Phone
Application	Hotel / Office Building
Function	Common key phone, handset phone, service buttons
Dial	DTMF

POWER & PERFORMANCE

Operating Voltage	24-60V DC
Message Waiting Light	Standard 90-150V DC
Flash Time	100ms, 300ms or 600ms optional
Operating Temperature	-10C to +40C

INSTALLATION & BUILD

Material	ABS + PC
Feature	Waterproof
Colour	Beige / Black
Memory	14 digits memory
Warranty	36 months

PHYSICAL DETAILS & LOGISTICS

Package Size	47.00 x 35.00 x 44.50 cm
Transport Package	Carton package
Telephone Network	Analogue PBX / wired line
Handset	Corded handset